

Post Hammer - Hydraulic (swinground)

OVERVIEW

Browns tractor mounted Hydraulic Swing Round Post Hammer is ideal for the farmer/contractor looking to install large amounts of fencing quickly.

The Hydraulic Swing Round Post Hammer has hydraulically operated swing-round which ensures the post hammer can be positioned exactly where it is required. Hydraulic mast tilt in four directions and three height adjustable legs, enable the post hammer to work uninhibited on undulating ground. The 200kg hammer is capable of knocking in straining posts whilst the rubber topped post cap protects the posts.



FEATURES

- Cat 2 three point linkage
- Weight of hammer 200kg
- Swinground controlled by hydraulic ram with check valve
- Mast tilt controlled by hydraulic ram with check valve
- Rubber topped post cap protects posts
- Spirit level on mast for straight driving
- Adjustable legs on mainframe and mast

SPECIFICATIONS

Post Hammer - Hydraulic

| | |
|---------|-----------------------|
| Code | 65889 |
| Width | 1950mm |
| Length | 2100mm |
| Height | 3400mm |
| Height. | 2650mm (under hammer) |
| Weight | 695 kg |
| Price | £7500.00 |

OPTIONS

Currently there are no options added to this product.

TESTIMONIALS

Currently there are no testimonials added to this product.



Grovebury Road, Leighton Buzzard,
Bedfordshire.
LU7 4UX. UK.
T: 01525 375157
E: info@brownsagricultural.co.uk